

NOC NO. 145009

## WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan  
10A, Block-LA, Sector-III  
Bidhannagar, Kolkata-700 098

Memo No. 147-HL-CO-A-16-0327

Dated 22-02-2017



From :  
Member Secretary,  
West Bengal Pollution Control Board

M/S. INDIA POWER CORPORATION (HALDIA) LIMITED  
Haldia, P.O. - Shibramnagar, P.S. - Bhabanipur,  
Dist. - Purba Medinipur, PIN - 721 635

To :

# WEST BENGAL

Sub : Consent to Establish (NOC) from Environmental Point of View

Ref : Your letter No. application for "Consent to Establish" Dated 19-12-2016

Dear Sirs,

In response to the application for Consent to Establish (NOC) for proposed <sup>expansion</sup> Unit of M/s INDIA  
POWER CORPORATION (HALDIA) LIMITED  
for manufacturing/storage/installation of two nos. D.G. sets of capacity 750 kVA each  
at its premises located at Haldia, P.O. Shibramnagar, P.S. Bhabanipur  
at Dist. - Purba Medinipur, PIN - 721 635

this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point of the above subject to the following conditions and special conditions annexed.

1. The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS : 2490 (Pt. I) of 1974, and/or its subsequent amendment and Environment (Protection) Rules 1986.
2. Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above.
3. You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be discharged by you without prior consent of this Board.
4. All emission from your factory shall conform to the standards as laid down by this Board.
5. No emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Control Pollution) act, 1981.
6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/erected/re-erected without prior approval of this Board.

NOC

7. You shall comply with
- Water (Prevention and Control of Pollution) Cess Act, 1977, if applicable.
  - Water (Prevention and Control of Pollution) Cess Act, 1978, if applicable.
  - Environment (Protection) Act, 1986
  - Environment (Protection) Rules, 1986
  - Hazardous Wastes (Management and Handling) Rules, 1989 and Amended Rules, 2000
  - Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amended Rules, 2000
  - Manufacture, Use, Import and Storage and Hazardous Micro-Organisms, Genetically Engineered Organisms or Cell Rules, 1989
  - The Public Liability Insurance Act, 1991 and Amended Act, 1992
  - The Public Liability Insurance Rules, 1991 and Amended Rules 1993
  - Biomedical Wastes (Management & Handling) Rules, 1998 and Amended Rules 2000 if applicable.
  - Recycled Plastics Manufacture and Usage Rules 1999, if applicable and
  - Ozone Depleting Substances (Regulation & Control) Rules, 2000, if applicable
8. You will have to abide by any other stipulations as may be prescribed by any authority/local bodies/Government Departments etc.

**SPECIAL CONDITION :**

*please refer to annexure attached.*

*Gross capital Investment for this expansion project is RS.30.00 lakhs only.*

Any violation of the aforesaid conditions shall entail cancellation of this Consent to Establish (NOC)



Yours faithfully,  
*[Signature]* 22.02.2017  
Member Secretary,  
West Bengal Pollution Control Board  
Senior Environmental Engineer  
WBPCB Pollution Control Board..

Memo No. ....

Copy forwarded for information to :

- Chief Inspector of Factories, Government of West Bengal, N. S. Building, Kolkata-700 001
- Director of Industries/Director of Cottage & Small Scale Industries, Government of West Bengal, N. S. Building, Kolkata-700 001
- Guard file, West Bengal Pollution Control Board.
- Environmental Engineer, I/III/Alipur R.O./Howrah R.O./Hooghly R.O./B.R.O./D.R.O./Haldia R.O./S.R.O./Asansol/ Sub-R.O./WBPC Board

Himalaya Bhawan  
Delhi Road, Dankuni  
Dist. Hooghly

Vill, Panpur  
Kalyani Expressway  
P.O. Narayanpur  
Dist. 24 Pgs. (N)

Sahid Khudiram Sarani  
City Centre, Durgapur-16  
Dist. Burdwan

10, Camac Street  
2nd Floor  
Kolkata-700 017

Paribesh Bhawan  
10A, LA-Block, Sector-III  
Salt Lake City,  
Kolkata - 700 098

Block-05 at 40  
Flats Complex  
Adjacent to Priyambada  
Housing Estate  
P.O. : Khanjanchak,  
P.S. Durgachak  
Haldia-721602  
Dist. : Purba Medinipur

Paribahan Nagar  
Matigara, Siliguri  
Dist.-Darjeeling

Satya Chowdhury  
Indoor Stadium  
Balurchar Bandh Road  
Malda-732101

Asansol Sub-Regional Office  
ADDA Commercial Market (2nd Floor)  
Opposite Asansol Fire Station  
G.T. Road, Asansol-713 301

Member Secretary,  
West Bengal Pollution Control Board



Annexure to NOC Sl. NO145009

Special conditions issued to: M/s India Power Corporation (Haldia) Limited,  
Haldia, P.O. Shibrampur, PS. Bhabanipur,  
Dist: Purba Medinipur, Pin-721635.

1. DG Sets to be provided with acoustic enclosure, silencer and individual stack of height 5.5 m above roof level.  
Stack to have sampling port, platform and ladder as per Emission Regulation Part III of CPCB.
2. Standards / guideline for control of noise from stationary diesel generator set prescribed under notification of Ministry of Environment & Forests, Govt. of India vide G.S.R 371(E) dated 17/05/2002 and as amended to be followed.
3. Permission from Directorate of electricity to be obtained for the DG Sets.



*[Signature]* 22.02.2011  
Sr. Environmental Engineer  
WBPCB

Senior Environmental Engineer  
W.B. Pollution Control Board